

142000S01 ELEVATORS - Telephone

Furnish and install an elevator telephone in every elevator, installed or renovated, which has the following features and meets the following specifications.

1. FEATURES

1. Hands-Free
2. Vandal Resistant
3. Touch-Tone Dialing
4. Provide communications from each elevator in which installed to the UK Facilities Dispatcher

2. SPECIFICATIONS

Units shall be:

1. As designed and manufactured by **Ramtel Corporation** model RR833-OEM.
2. Preset to dial #3-9545 but shall be field programmable using dip switches. **If not on a University of Kentucky line it shall be programmed to dial 323-9545**
3. Send a signal over the telephone lines identifying which unit has been tripped and display the remote unit number on a Digital Display unit.
4. Be equipped with a disconnect module which will disconnect a call (either from the outside or a call initiating from the remote unit) after a preset time.
5. Be shipped with a three (3) minute disconnect time but shall be field programmable from thirty (30) seconds to five (5) minutes.
6. Be equipped with a dial answer option to establish communications between the remote unit and the base phone location.

3. GENERAL

1. The device shall consist of a single pushbutton automatic-dialer with appropriate indicator lights and all other essential features necessary to comply with ADA.
2. **The communication device shall be as manufactured by Ramtel to match the existing elevator emergency communication system including remote location indicator and other existing features now in use.**
3. **The emergency phone shall be model RR833-OEM and be mounted flush on the back of a hinged door at the bottom portion of the in-car control panel and locked with a barrel key #EX513.**
4. The face plate shall have, including but not necessarily limited to:

**EMERGENCY PHONE
UNIVERSITY OF KENTUCKY**

(UK logo - Contact UK Public Relations for most recent logo updates)

Other information and instructions on the faceplate are as provided by the Ramtel communication device.

5. A stand-alone flush box-type device is not to be used without approval of the Owner.

Note: Emergency phones on the campus grounds at selected locations may be added to and annunciate on the Digital Display system.